

Table of Contents

Page:

- 3 Shaw Carpet
- 4 Flooring
- 11 Fireplaces
- 15 400 Series Windows
- 22 200 Series Windows
- 25 Smooth Star Ext Doors
- 30 Fiber Classic Oak Ext Doors
- 32 Fiber Classic Mahogany Ext Doors
- 34 Classic Craft Fir Ext Doors
- 35 Exterior Door Hardware
- 40 Exterior Patio Doors
- 45 Sky lights
- 46 Light Fixture Packages
- 51 Recessed Lights
- 52 Central Vac System
- 54 Interior Masonite Doors
- 59 Interior Door Hardware
- 60 Interior Trim Options
- 62 Merillat Cabinets
- 93 Merillat Kitchen Upgrade Options
- 95 Laminate Countertop Options
- 100 Kitchen Sink Options
- 101 Delta Kitchen Faucet Options
- 103 Range Hoods
- 104 Whirlpool Appliances
- 106 Cultured Marble & Granite Vanity Options
- 111 Medicine Cabinets
- 112 Vanity Lights
- 114 Bath Vanity Layouts
- 116 Bath Fans
- 120 Delta Bath Faucet Options
- 122 Bath Accessories
- 119 Bath Fixture Options
- 125 Tub & Shower Options
- 130 Delta Tub/Shower Faucets
- 132 Jacuzzi Tubs
- 133 Delta Roman Tub Faucet Options/ Additional Bath Options
- 135 Exterior Siding Selections
- 142 Exterior Corner Posts
- 144 Shutters
- 145 TruDefinition Duration Shingles
- 148 Exterior Options







Shaw Carpet® Your Choice 25 oz. (Standard) Solid & Tweed



Go Softly 34 oz. (Upgrade)



Dal-Tile® (Upgrade) 12 X 12 Heathland



12 X 12 & 12 X 24 Skybridge







Gray SY98



Beige SY96



Brown SY97

12 X 12 & 12 X 24 Avondale



Chateau Crème AD01



West Tower AD02



Castle Rock AD03

12 X 12 Esta Villa



Garden White EV97



Terrace Beige EV98



Cottage Brown EV99

12 X 12 & 12 X 24 Florentine



Carrara FL06



Marfil FL07



Argento FL08



Nociolla FL09

12 X 12 & 12 X 24 Affinity







Beige AF02



Gray AF03



Brown AF04

12 X 24 Tile available in Brick Pattern




Grout Colors

| ailable Colors | | | St. Sp. |
|----------------------|--------------------|-------------------------|---------------------|
| #38 - River Rock | #27 - Hemp | #23 - Antique White | #17 - Marble Beige |
| #56 - Desert Khaki | #60 - Dusty Grey | #40 - Latte | #61 - Parchment |
| #55 - Tawny | #92 - Saltillo | #43 - Chocolate Truffle | #30 - Sand Beige |
| #59 - Espresso | #58 - Terra Cotta | #66 - Chestnut Brown | #03 - Silk |
| #46 - Quarry Red | #67 - Autumn Green | #18 - Sauterne | #16 - Siltstone |
| #35 - Mocha | #34 - Sandstone | #88 - Silver Shadow | #50 - Sea Glass |
| #91 - Slate Grey | #42 - Platinum | #90 - Light Pewter | #89 - Smoke Grey |
| #53 - Twilight Blue | #45 - Raven | #78 - Sterling Silver | #24 - Natural Grey |
| #22 - Midnight Black | #44 - Bright White | #57 - Hot Cocoa | #41 - Kashmir |
| #85 - Almond | #39 - Mushroom | #81 - Butter Cream | #52 - Toasted Almor |

Floorte Plank Laminate Flooring (Upgrade)

Cross Sawn Pine-Planks 9" X 59"







Reclaimed Pine 166



Salvaged Pine 554



Antique Pine 5006

Cathedral Oak-Planks 9" X 59"



Shawshank Oak 168



Chestnut Oak 5010



Ravine Oak 798



Misty Oak 5008



Charred Oak 5009

Mineral Mix- Planks 12" X 24"







Pebble 599 Graphite 5001

Lava 5002




Fireplace, Mantle, & Surround Selections



MANTLE OPTIONS





 Kenwood (Without Base)
 A OPENING WIDTH
 B OUTSIDE WIDTH
 C OPENING OUTSIDE HEIGHT
 D OUTSIDE HEIGHT
 E TOP WIDTH
 F LEG SHELF DEPTH
 LEG RECOMMENDED SET SIZE

 A SIZE
 44"
 60"
 36-1/2"
 48-3/4"
 69-1/2"
 8"
 9-3/4"
 5"
 6

 B SIZE
 48"
 65"
 39-1/2"
 51-3/4"
 74-1/2"
 8"
 9-3/4"
 5"
 1

54-1/4"


79-1/2"



53"

70"





8"


5"

9-3/4"

| Battlefield | A OPENING WIDTH | B OUTSIDE WIDTH | C Opening Height | D Outside Height | E TOP WIDTH | F LEG WIDTH | G Shelf Depth | H LEG DEPTH | RECOMMENDED SET SIZE |
|-------------|-----------------------|-----------------------|------------------------|------------------------|-------------------|-------------------|---------------------|-------------------|-------------------------|
| B SIZE | 48" | 65" | 39-1/2" | 54" | 75" | 6-1/2" | 9" | 5-1/4" | S 1 |
| C SIZE | 53* | 70" | 42" | 56-1/2" | 80 " | 6-1/2" | 9" | 5-1/4" | 1 |


MANTLE OPTIONS





| Acadia | A OPENING WIDTH | B OUTSIDE WIDTH | C OPENING HEIGHT | D OUTSIDE HEIGHT | E TOP WIDTH | F LEG WIDTH | G SHELF DEPTH | H LEG DEPTH | I RECOMMENDED SET SIZE |
|--------|-----------------------|-----------------------|------------------------|------------------------|-------------------|-------------------|------------------------|-------------------|------------------------------|
| A SIZE | 44" | 61-1/2" | 36-1/2" | 49" | 69" | 6-3/4" | 7-1/2" | 3-3/4" | 1 |
| B SIZE | 48" | 65-1/2" | 39-1/2" | 52" | 73" | 6-3/4" | 7-1/2 " | 3-3/4" | 1 |
| C SIZE | 53" | 70" | 42" | 54-1/2" | 78" | 6-3/4" | 7- <mark>1/2</mark> ." | 3-3/4" | 12 |

Wood Species



MDF Primed



Maple Unfinished

Stone Surround Options



Absolute Black



Arctic Gray Marble



New Venetian Gold

Fireplace Rough Openings

Accelerator

36" Wood Fireplace

| MODEL | FRONT WIDTH | | BACK WIDTH | | HEIGHT | | DEPTH | | FIREPLACE OPENING |
|-----------|-------------|---------|------------|---------|--------|---------|--------|---------|-------------------|
| A36C/A36R | Actual | Framing | Actual | Framing | Actual | Framing | Actual | Framing | 26 + 02 2/0 |
| | 42 | 43 | 28-1/4 | 43 | 41-1/4 | 41-1/2 | 22-3/4 | 23 | 36 x 23-3/8 |

Accelerator

42" Wood Fireplace

| MODEL | FRONT WIDTH | | BACK WIDTH | | HEIGHT | | DEPTH | | FIREPLACE OPENING |
|-----------|-------------|---------|------------|---------|--------|---------|--------|---------|-------------------|
| A40C/A40D | Actual | Framing | Actual | Framing | Actual | Framing | Actual | Framing | 42 x 23-3/8 |
| A42C/A42R | 48 | 49 | 30-7/8 | 49 | 41-1/4 | 41-1/2 | 22-3/4 | 23 | |

Novus

36" Direct Vent Gas Fireplace

| MODEL | FRONT WIDTH | | BACK WIDTH | | HEIGHT | | DEPTH | | VIEWING AREA | |
|---------------|-------------|---------|------------|---------|--------|---------|--------|---------|--------------|--|
| NBV/NDV30-IFT | Actual | Framing | Actual | Framing | Actual | Framing | Actual | Framing | 20 × 00 E/0 | |
| | 35 | 36 | 8-5/8 | 36 | 35-1/4 | 34-7/8 | 19-1/8 | 19-5/8 | 30 x 22-5/8 | |

Novus

42" Direct Vent Gas Fireplace

| MODEL | FRONT WIDTH | | BACK WIDTH | | HEIGHT | | DEPTH | | VIEWING AREA | |
|---------------|-------------|---------|------------|---------|--------|---------|--------|---------|--------------|--|
| NBV/NDV36-IFT | Actual | Framing | Actual | Framing | Actual | Framing | Actual | Framing | 36 x 22-5/8 | |
| | 41 | 42 | 14-5/8 | 42 | 35-1/4 | 34-7/8 | 19-1/8 | 19-5/8 | 30 X 22-3/8 | |



Andersen® 400 Series Windows (Standard)

- White or Optional clear Pine interior
- Screens & "Snap-In" Grills are standard
- Six exterior optional colors
- Energy efficient
- Dual-layer, compressible bulb weather-stripping seals out dust, wind and water





Tilt-Wash Double Hung

Double-hung windows have two sash in a single frame which slide up or down to provide ventilation. Because their sash remain flush with the wall while the window is open, they are a good choice for placement adjacent to patios, decks and walkways. Our best-selling double-hung window, the Andersen® 400 Series tilt-wash double-hung window is extremely energy efficient and gives you a wide array of decorative and performance options, including Stormwatch® protection.



Bow Window

Bow windows are window combinations that curve gradually and gracefully outside a home. These dramatic combinations can add space, volume and light to a room and add more personality to any home—inside and out. Andersen® 400 Series bow window units utilize all of the individual qualities of our casement windows.



Angle Bay

Bay windows are window combinations that project outward from a home. These dramatic combinations can add space, volume and light to a room and add more personality to any home—inside and out. Andersen® 400 Series tilt-wash double-hung bay windows are extremely energy efficient and give you a wide array of decorative and performance options.





Casement Windows

Casement windows are hinged on the side and open outward to the left or right, allowing you to catch breezes and direct the flow of fresh air into your home. Usually taller than they are wide, their entire sash opens to provide top-to-bottom ventilation. This also makes them a frequent choice for use as egress windows—ones that can be used as an emergency exit.

Andersen® 400 Series casement windows start with a design that is extremely energy efficient. Add to that a solid-wood sash covered inside and out by low maintenance Perma-Shield® cladding to protect against water damage. It's easy to see why they have become our best-selling casement window of all time.



Awning Windows

Awning windows are hinged at the top and open outward. Usually wider than they are tall, their entire sash opens to provide full side-to-side ventilation, allowing them to catch breezes from any direction. They are often used above, below or alongside stationary windows to provide ventilation because, when open, their sash can function like a roof, providing a measure of shelter from light rain.

Andersen® 400 Series awning windows start with a design that is extremely energy efficient. Add to that a solid-wood sash covered inside and out by low maintenance Perma-Shield® cladding to protect against water damage. Then give them rich, natural pine interiors for windows that are as beautiful as they are functional and reliable.



Picture Windows

Andersen® 400 Series complementary picture windows are rectangular and stationary (non-opening) windows characterized by their dramatic sizes. They can be used to provide singular points of light and architectural accents, or combined to create a signature statement



Circle Top Windows

Andersen® 400 Series curved specialty windows are stationary (non-opening) windows characterized by their curved shapes. They can be used to provide singular points of light and delicate architectural accents, or combined to create a signature statement.



Oval Windows

Andersen® 400 Series circle and oval specialty windows are stationary (non-opening) windows characterized by their special shapes. They can be used to provide singular points of light and delicate architectural accents, to create a signature statement.



AFFW606 Curved Specialty Window

Andersen® 400 Series complementary curved specialty windows are stationary (non-opening) windows characterized by their curved shapes. They can be used to provide singular points of light and delicate architectural accents, or combined to create a signature statement.

Andersen® 400 Series Exterior Window Colors





Black (Upgrade)


Andersen 200[®] Series Windows (Optional)

- White or optional pine interior
- "Grills between glass" and screens are standard
- Available in best-selling sizes with most popular options
- Low-maintenance Perma-Shield® exteriors



Double Hung Window

Double-hung windows have two sash in a single frame which slide up or down to provide ventilation. Because their sash remain flush with the wall while the window is open, they are a good choice for walls adjacent to patios, decks and walkways. The Andersen® 200 Series tilt-wash double-hung windows feature low maintenance Perma-Shield® exteriors along with clear pine interiors to bring the warmth of natural wood into your home. Or, if you prefer, choose a factory-painted white interior with an ultra-smooth low maintenance finish. Either way, they come in our most popular sizes and give you our most requested options, along with our renowned Owner-2-Owner® warranty.



Picture Windows

Picture windows are stationary, non-opening windows that allow light into the room. Andersen® 200 Series picture windows come with low-maintenance exteriors and real wood or prefinished white interiors along with the security of our renowned Owner-2-Owner® warranty.



Circle Top Windows

Specialty windows are stationary windows characterized by their curved shapes. Andersen® 200 Series specialty windows are half-circle windows that can be used along with our double-hung windows to make a signature statement in your home and provide a delicate lighting accent.

Andersen® 200 Series Exterior Window Colors



Therma Tru® Smooth Star Entry Doors

STANDARD DOOR



















S205



S606





S296

S206

Smooth Star 14" Sidelights



Fire Doors (6'-8" tall)







SE210HD SE1005HD SE514



SE978HD

Transoms (Optional)



Therma Tru® Fiber Classic- Oak Entry Doors (Upgrade) (With clear glass)





14" Sidelights (Optional)



Fiber Classic- Mahogany (Upgrade)



FCM60



FCM65



FCM608



FCM606 "Craftsman"

14" Sidelights (Optional)



Therma Tru® Classic Craft- Fir





14" Classic Craft Fir Sidelights



Schlage® Exterior Knobs & Levers





Satin Nickle (Standard)

Aged Bronzed (Upgrade)



Matte Black (Upgrade)





Satin Nickle (Standard)

Aged Bronze (Upgrade)



Matte Black (Upgrade)

Schlage® Thumb Latch (Upgrade)



Plymouth Oil Rubbed Bronze




Plymouth Satin Nickle



Plymouth Matte Black

Therma-Tru® Multi-Point Locking Systems (Upgrade)



Finish Options



Exterior Patio Doors (Optional)

Terrace Doors Therma-Tru® Smooth Star





Sliding Glass Doors Andersen® Perm-Shield



Andersen® Perma-Shield Colors



Andersen® Frenchwood Swing Doors



Grills (Optional)

Andersen® Frenchwood Gliding Doors



Grills (Optionals)

Andersen® Frenchwood Colors



Forest Green

Andersen® Frenchwood Hardware





Satin Nickel Finish Standard



Oil Rubbed Bronze Upgrade

Andersen® Perma-Shield Hardware



White (Only) Standard

Upgrade Hardware





Oil Rubbed Bronze



Satin Nickel

Skylights (Optional) Vented (VS CO4)



Fixed Non-Vented (FS C04)



Light Fixture Packages

Holman Interior Collection

Brushed Nickel



Dining Room 31808-962

Brushed Nickel Finish Satin Etched Glass

D: 20" H: 12.5"

(5) Medium Base 60w Max

10' of wire pre-laced through 3' of chain



Foyer Two-Story Open 5233-962

Brushed Nickel Finish D: 16.75" H: 29.75"

(6) Candelabra Base 60w Max

Clear Bulb Recommended

12' of wire pre-laced through 88" of chain



Breakfast Nook 65806-962

Brushed Nickel Finish Satin Etched Glass

D: 15" H: 12.25"

(1) Medium Base 100w Max

10' of wire pre-laced through 3' of chain



Foyer - Hanging 5231-962

Brushed Nickel Finish

D: 9.5" H: 16"

(3) Candelabra Base 40w Max

Clear Bulb Recommended

12' of wire pre-laced through 4' of chain

Holman Interior Collection

Brushed Nickel



Foyer - Flush / Optional Bedroom 77064-962

Brushed Nickel Finish Satin Etched Glass D: 13.25" H: 6.25" (2) Medium Base 60w Max



Kitchen 75943-15

White Finish Alabaster Glass D: 15" H: 7" (3) Medium Base 60w max.



Brushed Nickel Finish Smooth White Glass D: 9.5" H: 5.25" E: 5.25" (2) Medium Base 60w Max





Optional Wall Sconce 41036-999

Brushed Nickel Finish
Satin Etched Glass
D: 8" H: 8.25" E: 4"
(1) Medium Base 100w max.
Meets ADA Requirements



Optional Mini-Pendant 61806-962

Brushed Nickel Finish
Satin Etched Glass
D: 5.25" H: 6.56"
(1) Medium Base 60w max.
10' of wire, (3) 12" Stems, 12" Chain

Holman Interior Collection

Bell Metal Bronze



Dining Room 31808-827

Bell Metal Bronze Finish Satin Etched Glass D: 20" H: 12.5" (5) Medium Base 60w Max

10' of wire pre-laced through 3' of chain



Foyer Two-Story Open 5233-782

Heirloom Bronze Finish
D: 16.75" H: 29.75"
(6) Candelabra Base 60w Max
Clear Bulb Recommended
12' of wire pre-laced through 88" of chain



Breakfast Nook 65806-827

Bell Metal Bronze Finish
Satin Etched Glass
D: 15" H: 12.25"
(1) Medium Base 100w Max
10' of wire pre-laced through 3' of chain



Foyer - Hanging 5231-782

Heirloom Bronze Finish
D: 9.5" H: 16"
(3) Candelabra Base 40w Max
Clear Bulb Recommended
12' of wire pre-laced through 4' of chain

Holman Interior Collection

Bell Metal Bronze



Foyer - Flush / Optional Bedroom 77064-782

Heirloom Bronze Finish Satin Etched Glass D: 13.25" H: 6.25" (2) Medium Base 60w Max



Kitchen 75943-15

White Finish Alabaster Glass D: 15" H: 7" (3) Medium Base 60w max.

Hall Closet 5328-782

Heirloom Bronze Finish Smooth White Glass D: 9.5" H: 5.25" E: 5.25" (2) Medium Base 60w Max





Optional Wall Sconce

Histologie Brance Fiship South Etichol Chare D. 15° H. 6/35° E. 15° [15] Modulet Base-Stiffe than Modit-AdM Prographics



Optional Mini-Pendant

Date Medication of the Principal State State of Class CUS-CSF IN: 5498* CD-Medican State Stateman. SSF of using SS SF Stateman, LSF Challes

Jamestowne Exterior Collection

Antique Bronze



Exterior - Front 8457-71

Antique Bronze Finish Clear Beveled Glass W: 5.25" H: 12.5" E: 5.75" (1) Medium Base 100w Max Clear Bulb Recommended



Exterior - Rear 8592-71

Antique Bronze Finish Clear Glass W: 4.25" H: 8.25" E: 5.5" (1) Medium Base 100w max. Clear Bulb Recommended

Lancaster Exterior Collection

Antique Bronze

(Optional Upgrade)



Upgrade Exterior - Front 8039-71

Antique Bronze Finish *
Clear Beveled Glass
W: 10" H: 20.5" E: 9.5"
(2) Candelabra Base 40w Max
Clear Bulb Recommended



Upgrade Exterior - Rear 8037-71

Antique Bronze Finish *
Clear Beveled Glass
W: 7" H: 12" E: 7"
(1) Medium Base 100w max.
Clear Bulb Recommended

*Also available in brushed nickel (8039-965 & 8037-965 respectively)

Recessed Lighting



"Generic" Snap-In


W: 7.625" H: 4.5"

Spring clips for easy installation (snaps to drywall) IC Airtight Rating
Suitable for wet locations



Nicor DEB56





DLR56 and DEB56 fixtures to be installed in a recessed housing

Incandescent IC Airtight Housing Suitable for shower light D: 5.625" L: 13.5" W: 8.875" H: 5.5"

Central Vacuum System's (Optional)



Standard System PP500 500 Watt Cyclonic Power Unit



Upgrade System PP600 600 Watt Cyclonic Power Unit

Central Vacuum Accessories (Included)



Turbine Brush 11" cleaning width



Deluxe Tool Set

Interior Masonite® Doors

* Offered in Hollow Core & Solid Core



6 Panel Hollow Core (Standard)



6 Panel Solid Core (Upgrade)



6 Panel Pine (Upgrade)



2 Panel Square (Upgrade)*



Roman Style (Upgrade)*



4 Panel (Upgrade)*



Cheyenne (Upgrade)*

Masonite® Heritage Series Solid Core Doors (Upgrade)



Lincoln Park (1 Panel)



Winslow (3 Panel)



Logan (2 Panel)

Interior French Doors (Upgrade)

Doors come primed white standard. Available in clear finish



3' 15 Light Door



4' 20 Light Double Doors



5' & 6' 30 Light Double Doors

Interior Door Hardware Schlage® Knobs & Levers





Brushed Nickle (Standard)

Aged Bronzed (Upgrade)






Brushed Nickle (Standard)

Aged Bronze (Upgrade)

Trim Options



Chair Rail



3" Chair Rail (Upgrade)

Crown Molding



3 5/8" Crown Molding (Upgrade)



5 ¼" Crown Molding (Upgrade)

Merillat™ Cabinets **Classic Series**

Marlin (Standard Cabinets) Hardwood







Cotton (Upgrade)

Spring Valley Square (Standard) Oak





Glen Arbor (Standard) Oak





Avenue Maple










Natural w/ Java Glaze

Night Fall w/Ebony Glaze Sable w/Ebony Glaze

Avenue Cherry







5 Piece Drawer Front



Fox Harbor Maple











Fox Harbor Cherry







5 Piece Drawer Front



Fusion Maple





Glen Arbor Maple





GLAZES



Night Fall w/Ebony Glaze Sable w/Ebony Glaze

Natural w/ Java Glaze

Glen Arbor Cherry





Glenrock Maple



LaBelle Maple





GLAZES



Night Fall w/Ebony Glaze Sable w/Ebony Glaze

Natural w/ Java Glaze

LaBelle Cherry





Lanielle (Laminate)







Cavern

Portrait Maple



Solid Drawer Front

5 Piece Drawer Front



Portrait Oak





Pecan Kona



Sable Amaretto

Portrait Cherry



Solid Drawer Front



5 Piece Drawer Front



Ralston Maple



Solid Drawer Front

5 Piece Drawer Front





Ralston Cherry







Solid Drawer Front

5 Piece Drawer Front

Rowan Maple








Rowan Cherry







5 Piece Drawer Front



Pecan Amaretto Java Glaze

Seneca Ridge Maple







Seneca Ridge Cherry







Arch Drawer Front



Seneca Ridge Oak

Pecan

Sable

Amaretto

Natural

Kona



Square Drawer Front

Arch Drawer Front

Somerton Hill Maple



Square Drawer Front

Night Fall w/Ebony Glaze Sable w/Ebony Glaze



Arch Drawer Front



Cotton

Mist



Natural w/ Java Glaze

Chiffon


Graphite

Shale

Nightfall

Somerton Hill Cherry







Arch Drawer Front



Spring Valley Maple



Graphite

Night Fall w/Ebony Glaze Sable w/Ebony Glaze



Natural w/ Java Glaze

Nightfall

Spring Valley Cherry





Spring Valley Hickory



Natural

Spring Valley Oak





Sutton Cliffs Maple





Sutton Cliffs Cherry





Sutton Cliffs Oak





Sutton Cliffs Hickory



Natural

Tolani Maple

Graphite

Nightfall



Solid Drawer Front

3 Piece Drawer Front



5 Piece Drawer Front



Tolani Cherry



Tolani Oak



Solid Drawer Front



3 Piece Drawer Front



5 Piece Drawer Front



Pecan



Sable



Amaretto



Natural



Amaretto

Pecan

Kona

Vance (Laminate)






Grey w/ 5 pc drawer

Whitebay II Laminate



Merillat™ Kitchen Upgrade Options







Trash Hamper



Roll-Out Tray Divider







(Dovetail Drawer)

- Undermount Drawer Guide with SoftAction Drawers
- Plywood Construction



Coreguard® Sink Base Liner

Crown Molding Optional



Cove Crown Molding



Classic Crown Molding

Kitchen & Bath Counter Tops Wilsonart®

Standard Laminate




Spicewood Springs 4905-38

Upgrade Laminate



Bronze Fusion 1796-07





Smoky Topaz 4589-07



Jeweled Coral 4866-52



Andorra Fog 4999K-22



Italian White Di Pesco 4954K-22



Andorra Shadow 4998K-22



Serrana 1890K-22

Deluxe Option Laminate



Deepstar Slate 1818-35



Winter Carnival 1874-35




Trinidad Lapidus 1879-35



Bianco Romano 1872-35



Sedona Trail 1826-35



Summer Carnival 1875-35



Canyon Passage 1842-45



Cipollino Grigio 1882K-35



Cipollino Bianco 1881K-35

Laminate Countertop Edging



Standard Edge



Beveled Edge- Upgrade



Crescent Edge- Upgrade



Wood Beveled Edge- Upgrade



Radius End Top



Angle Clipped Corners

Kitchen Sink Options Stainless Steel



Double Bowl Stainless Steel Sink (STANDARD)



Standard 8" Deep Stainless Steel Sink

Stainless Steel Double Bowl- (Standard)

Stainless Steel Single Bowl- (Standard)



Stainless Steel Single Bowl Undermount Sink- (Upgrade)



Stainless Steel Double Bowl Undermount Sink- (Upgrade)

Kitchen

Standard



Model No: 4453-DST Finish: Chrome

Linden Single Handle Kitchen Faucet with Spray

Options



Model No: 4453-AR-DST Finish: Arctic Stainless Linden Single Handle



Model No: 9113-DST Finish: Chrome Essa Single Handle



Model No: 9113-AR-DST Finish: Arctic Stainless Essa Single Handle



Model No: 9113-RB-DST Finish: Venetian Bronze Essa Single Handle



Model No: 9113-BL-DST Finish: Matte Black Essa Single Handle

Kitchen

Additional Options



Model No: 1903-DST Finish: Chrome

Classic Single Handle Bar/Prep



Model No: 2131LF Finish: Chrome

Classic Two Handle Laundry

Range Hoods



413001 Non-Ducted White (Standard) 403001 Ducted White (Upgrade)



413023 Non-Ducted Black (Standard) 403023 Ducted Black (Upgrade)



413008 Non-Ducted Bisque (Standard) 403008 Ducted Bisque (Upgrade)



413004 Non-Ducted Stainless Steel (Upgrade) 403004 Ducted Stainless Steel (Upgrade)

Whirlpool® Appliances Dishwashers (Optional)







Black

Stainless Steal

Microwaves (Optional) WMH31017A



Biscuit on Biscuit



Stainless Steel (Upgrade)




Black on Black



White on White

Rynone® Bath Countertops Cultured Marble





Cultured Marble Granite (Upgrade)









Oatmeal 301

Ecru 332

Fashion Grey 331

Lace 317










Pewter 336

Mocha 316

Coco 339

Sand 323


Granit Vanity Top (Upgrade) Group 1



Burlywood



Wheat



Meteorite



Tiger Skin White

Group 2



Ubatuba



Elysian



Rio Roca

Group 3



Absolute Black



Luna Bai



Marron Desert




Venice Gold



Sandstorm

Rynone® Quartz Vanity Tops




Toast 3008 White Pearl 3003 3009 Carrara Verta



Vanity Top Bowls Standard Undermount for

Granite and Quartz

Large Porcelain Oval Undermount Bowls




| Overall Size | | interior Size | | | |
|--------------|---------|---------------|---------|-------|--------|
| Length | Width | Depth | Length | Width | Depth |
| 19 1/4" | 15 3/4" | 8" | 17 1/4" | 14" | 6 1/4" |


Porcelain Rectangular Undermount Bowls



Overall Size interior Size Length Width Depth Length Width Depth 7 1/2" 18" 20" 6"

Standard Bowl Placement





- *Dimensions are +/- 1/8".
- *Diameter of all faucet holes is 1 3/8".
- · *Sink cutouts are polished.

^{*}The printing on this page may not accurately represent the slight color variations.

Medicine Cabinets (Optional)



14" Mirrored Medicine Cabinet (Standard)



Merillat Matching Triple Mirror Medicine Cabinet (Upgrade) Available 24", 30", & 36"

Vanity Lights

Bath Collection

Westmont



Bath 44019-05

Chrome Finish Glass Satin White W: 12.00" H: 8.25" E: 7.5" (2) Medium Base 60w Clear Bulb Recommended



Bath 44020-05

Chrome Finish Glass Satin White W: 17.00" H: 8.25" E: 8.5" (3) Medium Base 60w Clear Bulb Recommended



Bath 44021-05

Chrome Finish Glass Satin White W: 23.50" H: 8.00" E: 8.25" (4) Medium Base 60w Clear Bulb Recommended

Holman



Bath 44806-962

Brushed Nickel Finish Glass Satin Etched W: 11.75" H: 9.00" E: 7.5" (2) Medium Base 60w Clear Bulb Recommended



Bath 44807-962

Brushed Nickel Finish Glass Satin Etched W: 18.00" H: 9.00" E: 7.25" (3) Medium Base 60w Clear Bulb Recommended



Bath 44808-962

Brushed Nickel Finish Glass Satin Etched W: 24.50" H: 9.00" E: 7.25" (4) Medium Base 60w Clear Bulb Recommended

Holman



Bath 44806-782

Heirloom Bronze Finish Glass Satin Etched W: 11.75" H: 9.00" E: 7.25" (2) Medium Base 60w Clear Bulb Recommended



Bath 44807-782

Heirloom Bronze Finish Glass Satin Etched W: 18.00" H: 9.00" E: 7.25" (3) Medium Base 60w Clear Bulb Recommended



Bath 44808-782

Heirloom Bronze Finish Glass Satin Etched W: 24.50" H: 9.00" E: 7.25" (4) Medium Base 60w Clear Bulb Recommended

Catlin



Bath 4418502-112

Midnight Black Finish Glass Etched/White Inside W: 14.25" H: 8.00" E: 6.75" (2) Medium Base 60w Clear Bulb Recommended



Bath 4418503-112


Midnight Black Finish Glass Etched/White Inside W: 24.00" H: 8.00" E: 6.75" (3) Medium Base 60w Clear Bulb Recommended



Bath 4418504-112

Midnight Black Finish Glass Etched/White Inside W: 33.75" H: 8.00" E: 6.75" (4) Medium Base 60w Clear Bulb Recommended


Bath Vanity Layouts



*NOTE - Typical layouts are for standard laminate tops. Layouts may vary with cultured marble or corian tops.

Therefore, V24 and V48 double-bowl vanities cannot be located against a wall on either side.

^{**}NOTE - There must be 15" clearance from the center of a sink to a wall or any other object.



*NOTE - Typical layouts are for standard laminate tops. Layouts may vary with cultured marble or corian tops.


Bath Fans

Broan® A70L (Standard)





MODELS A50L, A70L INVENT™ SERIES FAN / LIGHTS



DESCRIPTION

BLOWER:

- Plug-in, permanently lubricated motor engineered for continuous operation
- Dynamically balanced centrifugal blower wheel for quiet, efficient performance
- · Low RPM for quiet operation

HOUSING:

- · Rugged, 26 gauge, galvanized steel construction
- Polymeric, 4" duct connector with tapered sleeve and no metallic clatter
- . 5-3/4" height allows for 2" x 6" ceiling installations
- · Sturdy, easy, four-point mounting directly to joist
- · Can be mounted in ceilings up to 7/12 pitch

GRILLE:

- Polymeric construction
- Innovative design the result of extensive research with designers and consumers
- 100W max. incandescent A19 type bulb or energy efficient equivalent bulb with Maximum Overall Length (M.O.L.) of 4.4" or less (bulb not included)
- · Durable steel reflector with white enamel finish

CONTROLS (Purchase separately):

 Refer to Broan's catalog for a complete line of accessories to effectively adapt these fans to your construction requirements.

U.L. Listed for use over bathtubs and showers when connected to a GFCI protected branch circuit (ceiling mount only).

U.L. Listed for use in insulated ceilings (TYPE I.C.)

1-Year Warranty

TYPICAL SPECIFICATION

Fan / Light shall be Broan Model A50L (A70L).

Fan / Light shall have corrosion resistant galvanized steel housing with four-point mounting capability. It shall be ducted to a roof or wall cap using 4" round ductwork.

Blower assembly shall be removable, have a centrifugaltype blower wheel and a permanently lubricated motor designed for continuous operation.

Non-metallic damper/duct connector shall be included.

Bulb shall be 100W max. A19 type incandescent or energy efficient equivalent bulb with Maximum Overall Length (M.O.L.) of 4.4" or less (bulbs not included).

Air delivery shall be no less than the airflow values and no greater than the sound level values listed in the HVI Performance Specifications provided in this specification (see following chart). All air and sound ratings shall be certified by HVI.

Ceiling Ventilator shall be U.L. Listed for use in insulated ceilings (Type I.C.) and for use over bathtubs and showers when connected to a GFCI protected branch circuit.





Broan-NuTone LLC Hartford, Wisconsin www.broan.com 800-558-1711

| REFERENCE | QTY. | REMARKS | Project | |
|-----------|------|---------|--------------|------|
| | | | Location | |
| | | | Architect | |
| | | | Engineer | |
| | | | Contractor | |
| | | | Submitted by | Date |

Panasonic® FV-08-11VFL5 (Upgrade)



WhisperFit EZ

Specification Submittal Data / Panasonic Ventilation Fan/Light

Ventilating fan/light shall be low sone ceiling mount rated for continuous operation. Fan shall be ENERGY STAR® rated and certified by the Home Ventilating Institute (HVI). Evaluated by the Underwriters Laboratories and conform to both UL and cUL standards.

Motor/Blower:

- · Four-pole totally enclosed condenser AC motor rated for continuous use.
- · Fan ventilation rates shall be manually adjustable for 80 or 110 CFM.
- Power Rating shall be 120 volts and 60 Hz.
- Fan shall be UL and cUL listed for tub/shower enclosure when GFCI protected.
- · Motor equipped with thermal cutoff fuse.
- · Removable, permanently lubricated, plug-in motor.

Housing:

- · Rust proof epoxy and polyester resin coating, 26 gauge galvanized steel body.
- 4" diameter duct with optional 3" adapter included.
- . Built in backdraft damper.
- Articulating and expandable extension bracket up to 24".

Grille:

- · Attractive design using Poly Pro material.
- Attaches directly to housing with torsion springs.

Light:

- Two 13 Watt self-ballasted GU24 base compact fluorescent lamps included.
- One 4-Watt night-light included.
- FCC Part 18 compliant.


Warranty:

· ALL Parts: 3 years original purchase date. CFL: 3 years. Night Light: No Warranty.

Architectural Specifications:

Ventilation fan and light shall be ceiling mount, ENERGY STAR® rated with built-in speed selector. Select from 80/110 CFM and no more than 0.4/1.0 sone as certified by the Home Ventilating Institute (HVI) at 0.1 wg with no less than 72/102 CFM and no more than 0.7/1.3 sone as certified by HVI at 0.25 w.g. Power Consumption shall be no greater than 20.9/26.6 watts at 0.1 w.g. and 20.5/26.5 watts at 0.25 w.g. with efficiency of no less than 3.8/4.2 CFM/watt at 0.1 w.g. and 3.5/3.9 CFM/watt at 0.25 w.g. The motor shall be fully enclosed, four pole condenser type engineered to operate continuously for no less than 30,000 hours. Power rating shall be 120v/60Hz Housing material shall be no less than 26 gauge galvanized steel with rust proof epoxy and polyester resin coating. Duct diameter shall be no less than 4" (3" if using the included duct adapter). Fan shall be UL and cUL listed for tub shower enclosure when GFCI protected. Fan can be used to comply with ASHBAF 62.2, LEED, ENERGY STAR® IAP, EarthCraft, California Title-24 and WA Ventilation Code. Lamps shall be of the compact fluorescent type with the fan utilizing no less than two 13W ENERGY STAR® rated self ballasted GU24 base compact fluorescent lamps, 3500 Kelvin, >80 CRI/998 Lumens per lamp/75 Lumens Per Watt/10,000 hours rated average life. Night-light feature shall be included.

3" or 4" Duct



See Following Page for Performance Curves



(2) 13W self-ballasted GU24 base CFL lamps included. 3500 Kelvin, >80 CRI/998 Lumens per lamp/75 Lumens Per Watt/10,000 hours rated average life.

| Specifications: WhisperFit® EZ FV-08-11VFL5 | | | 110 CFM Setting | | | 80 CFM Setting | | | |
|---|--------------------------------|------|-----------------|--------|---------|----------------|---------|--------|---------|
| | | 4" | 4" Duct | | 3" Duct | | 4" Duct | | 3" Duct |
| | Static Pressure in inches w.g. | 0.1 | 0.25 | 0.1 | 0.25 | 0.1 | 0.25 | 0.1 | 0.25 |
| | Air Volume (CFM) | 110 | 102 | 100 | 86 | 80 | 72 | 70 | 60 |
| | Noise (sones) | 1.0 | 1.3 | 1.3 | 1.5 | 0.4 | 0.7 | 0.6 | 1.0 |
| | Power Consumption (Watts) | 26.6 | 26.5 | 26.4 | 25.8 | 20.9 | 20.5 | 20.8 | 20.2 |
| Ventilation Fan Characteristics | Energy Efficiency (CFM/Watt) | 4.2 | 3.9 | 3.9 | 3.4 | 3.8 | 3.5 | 3.7 | 3.2 |
| | Speed (RPM) | 1033 | 1240 | 1270 | 1399 | 905 | 1164 | 1065 | 1263 |
| (HVI Certified Data) | Current (amps) | 0.23 | 0.22 | 0.22 | 0.22 | 0.17 | 0.17 | 0.17 | 0.17 |
| | MAX. Current (amps) | | .23 | 0.23 | | 0.18 | | 0.18 | |
| | Power Rating (V/Hz) | | 0/60 | 120/60 | | 120/60 | | 120/60 | |
| | ENERGY STAR rated | | ES | YES | | YES | | YES | |

For complete Installation Instructions visit us.panasonic.com/ventfans

0.25=Installed Performance

| Model | Quantity | Comments | Project: | |
|-------|----------|----------|---------------|--|
| | | | Location: | |
| | | | Architect: | |
| | | | Engineer: | |
| | | | Contractor: | |
| | | | Submitted by: | |
| | | | Date: | |

Panasonic Eco Solutions North America

Eco Products Division Two Riverfront Plaza

Newark NJ 07102

us.panasonic.com/ventfans







Bath

Lavatory

Standard



Model No: 2532LF-MPU

Finish: Chrome

Woodhurst Two Handle Centerset

Options



Model No: 2532LF-SSMPU

Finish: Stainless

Woodhurst Two Handle Centerset



Model No: 2538-SSMPU-DST

Finish: Stainless

Lahara Two Handle Centerset



Model No: 2564-SSMPU-DST

Finish: Stainless

Ashlyn Two Handle Centerset



Model No: 2532LF-RBMPU Finish: Venetian Bronze

Woodhurst Two Handle Centerset



Model No: 2538-RBMPU-DST

Finish: Venetian Bronze

Lahara Two Handle Centerset



Model No: 2564-RBMPU-DST

Finish: VenetianBronze Ashlyn Two Handle Centerset

Bath

Lavatory

Options



Model No: 2564-MPU-DST

Finish: Chrome

Ashlyn Two Handle Centerset



Model No: 2564-BLMPU-DST

Finish: Matte Black

Ashlyn Two Handle Centerset

Bath Accessories Chrome







Towel Bar



Paper Holder

Satin Nickle



Towel Ring



Towel Bar



Paper Holder

Dark Bronze



Towel Ring




Towel Bar



Paper Holder

Bath Fixture Options American Standard® Toilets







Elongated Right-Height Water Closet w/Seat- (Upgrade) (1.28 gpf) (16 1/2" Height off Floor)

Pedestal Sinks



Pedestal Sink (Standard)

Bath Fixture Color Options



White



Linen



Bone

Tubs & Showers



48" Shower (Standard) 48" x 35" x 72" Towel Bar not Incl.



36" Shower (Optional) 36" x 36" x 72"



60" Shower (Optional) 60" x 35" x 72" Towel Bar not Incl.



60" Princeton Americast Tub (Optional) (White Only) 60" x 30" x 14"



Cambridge Americast Tub (Upgrade)



Neo Angel Corner Shower (Optional)



60" Tub/Shower (Standard) 60" x 32" x 72" Towel Bar not Incl.

60" x 32" x 17- ¾"

38" x 38" x 72"

Bath Fixture Color Options



Cadet Freestanding Tub (Option)



Part # 2764.014M202

Full ADA Tub & Shower Stalls



36" Full ADA Shower 1363-BFS-ADA



60" Full ADA Tub 2603-SMTE-ADA



60" Full ADA Shower 1603-BFSD-ADA

Reinforced Tub and Shower Stalls

(Stall only does not include seat, grab bars, and hand shower)



36" Reinforced (Shower Stall Only) 1363-BFS



60" Reinforced (Tub-Shower Stall Only) 2603-SME



60" Reinforced (Shower Stall Only) 1603-BFSD

Bath

Tub/Shower

Standard



Model No: T13420-SOS Finish: Chrome

Classic Monitor 13 Series

Options



Model No: T14438-SOS

Finish: Chrome

Lahara Monitor 14 Series



Model No: T14438-SSSOS

Finish: Stainless

Lahara Monitor 14 Series



Model No: T14438-RBSOS Finish: Venetian Bronze Lahara Monitor 14 Series



Model No: T14494-SOS

Finish: Chrome

Linden Monitor 14 Series



Model No: T14494-SSSOS

Finish: Stainless

Linden Monitor 14 Series



Model No: T14494-RBSOS Finish: Venetian Bronze Linden Monitor 14 Series

Bath

Tub/Shower

Options







Model No: T14464 Finish: Chrome

Ashlyn Monitor 14 Series







Model No: T14464-SS Finish: Stainless

Ashlyn Monitor 14 Series







Model No: T14464-RB Finish: Venetian Bronze Ashlyn Monitor 14 Series







Model No: T14464-BL Finish: Matte Black Ashlyn Monitor 14 Series

Jacuzzi[®] Hydro Massage & Soaking Tubs (Upgrade)



6032 Skirted



7242 Drop-In Oval



Bianca-Special Quote



6060 Drop-In

Color Options





Bath

Roman Tub

Standard



Model No: T2738 Finish: Chrome Lahara Roman Tub

Options



Model No: T2738-SS Finish: Stainless Lahara Roman Tub



Model No: T2793-SS Finish: Stainless Linden Roman Tub



Model No: T2764-SS Finish: Stainless Ashlyn Roman Tub



Model No: T2738-RB Finish: Venetian Bronze Lahara Roman Tub



Model No:T2793-RB Finish: Venetian Bronze Linden Roman Tub



Model No: T2764-RB Finish: Venetian Bronze Ashlyn Roman Tub

Bath

Roman Tub

Options



Model No: T2764-BL Finish: Matte Black Ashlyn Roman Tub

Bath

Additional Options



Model No: 52001-DS

Finish: White

Universal Slide Bar Hand Shower (ADA Compliant)



Model No: 58480-PK Finish: Chrome


H2Okinetic In2ition 5-Setting



Model No: RP52688 Finish: Chrome

H2Okinetic 3-Setting Raincan

Exterior Siding Selections MainStreet (WMH Stock Colors) Standard



MainStreet (WMH Non-Stock Colors) Upgrade



Castle Stone


MainStreet Deluxe (Upgrade)



Monogram (Upgrade)

| Autumn Yellow | Buckskin | Desert Tan |
|-------------------|----------------|------------------|
| | | |
| | | |
| | | |
| | | |
| 2.1.1.1.1.1. | | |
| Colonial White | Cypress | Sterling Gray |
| | | |
| | | |
| | | |
| | | |
| Granite Gray | Heritage Cream | Castle Stone |
| | | |
| | | |
| | | |
| | | |
| Housinghous a | Light Marala | Candatana Daina |
| Herringbone | Light Maple | Sandstone Beige |
| | | |
| | | |
| | | |
| | | |
| Natural Clay | Oxford Blue | Seagrass |
| | | |
| | | |
| | | |
| | | |
| | | |
| Savannah Wicker | Wedgewood Blue | Weathered Wood |
| Javaillali Wickel | WCagewood Dide | vvcatnerea vvood |

Monogram Deluxe Colors (Upgrade)




Monogram Premium (Upgrade)



Cedar Blend

Northwoods (Upgrade)




Sandstone Beige


Corner Posts




3 ½" Snap on Corner White Only (Standard)



Monogram 3 ½" Nail-On Corner (Upgrade) (All Available Siding Colors Available to Match)



5" Smooth Super Corner (Upgrade)




Fluted 5 ½" Super Corner (Upgrade)

Ply Gem[®] Shutters Louvered or Panel



TruDefinition® Duration® Shingles Standard Colors



Non-Stock Colors (Upgrade)







Amber

Colonial Slate

Shasta White







Harbor Blue

Quarry Gray

Slatestone Gray

Designer Colors (Upgrade)



Sedona Canyon

Exterior Options

PVC Picture Frame (Upgrade)



FYPON® Architrave



38"W X 41 1/2"OW X 6"H X 3"P CROSSHEAD